


AIDS Cases among Racial/Ethnic Minorities* 1985–2004—United States




Note. Data have been adjusted for reporting delays.

* Includes Black, Hispanic, Asian/Pacific Islander, and American Indian/Alaska Native persons with AIDS.



Proportion of AIDS Cases among Adults and Adolescents, by Race/Ethnicity and Year of Diagnosis 1985–2004—United States



Note. Data have been adjusted for reporting delays.



AIDS in Blacks

Of the 918,286 AIDS cases reported to CDC through 2004, blacks accounted for

40% of total

60% of women

59% of high risk heterosexuals*

59% of children age <13 years

Of AIDS cases reported in 2004, 48% were among black adults and adolescents.

* Heterosexual contact with a person known to have or at high risk for HIV infection.

AIDS in Hispanics

Of the 918,286 AIDS cases reported to CDC through 2004, Hispanics accounted for

19% of total

19% of women



22% of high risk heterosexuals*

23% of children age <13 years

Of AIDS cases reported in 2004, 21% were among Hispanic adults and adolescents.

* Heterosexual contact with a person known to have or at high risk for HIV infection.

Proportion of AIDS Cases and Population by Race/Ethnicity, Reported in 2004—50 States and D.C.




Note. Excludes persons from US dependencies, possessions, and associated nations.

* Includes 191 persons of unknown race or multiple races.



Proportion of AIDS Cases among Male Adults and Adolescents, by Transmission Category and Race/Ethnicity 2000–2004, United States




Note. Data have been adjusted for reporting delays and cases without risk factor information were proportionally redistributed.

* Heterosexual contact with a person known to have or at high risk for HIV infection.

** Includes hemophilia, blood transfusion, perinatal, and risk factor not reported or not identified.



Proportion of AIDS Cases among Female Adults and Adolescents, by Transmission Category and Race/Ethnicity 2000–2004—United States




Note: Data have been adjusted for reporting delays and cases without risk factor information were proportionally redistributed.

* Includes sex with a bisexual male, a person with hemophilia, an HIV-infected transfusion recipient, or an HIV-infected person whose risk factor is not specified.

** Includes hemophilia, blood transfusion, perinatal, and risk factor not reported or not identified.




Reported AIDS Cases among Adults and Adolescents by Sex and Race/Ethnicity, 2004—United States



*Includes persons of unknown race or multiple races.




AIDS Rates for Black Adults and Adolescents Reported 2000–2004—50 States and D.C.



Note. Data excludes cases from the US dependencies, possessions and associated nations because of the lack of census information by race and age categories for these areas.




AIDS Rates for Hispanic Adults and Adolescents Reported 2000–2004—50 States and D.C.



Note. Data excludes cases from the US dependencies, possessions and associated nations because of the lack of census information by race and age categories for these areas.





AIDS Rates for White Adults and Adolescents Reported 2000–2004—50 States and D.C.



Note. Data excludes cases from the US dependencies, possessions and associated nations because of the lack of census information by race and age categories for these areas.



Proportion of HIV/AIDS Cases and Population, by Race/Ethnicity, 2004—33 States




Note. Data include persons with a diagnosis of HIV infection regardless of their AIDS status at diagnosis. Data from 33 states with confidential name-based HIV infection reporting since at least 2000. Data excludes cases from the US dependencies, possessions, and associated nations. Data adjusted for reporting delays.

* Includes 146 persons of unknown race or multiple races.




Proportion of HIV/AIDS Cases among Adults and Adolescents, by Race/Ethnicity, 2001–2004—33 States



Note. Data include persons with a diagnosis of HIV infection regardless of their AIDS status at diagnosis. Data from 33 states with confidential name-based HIV infection reporting since at least 2000. Data have been adjusted for reporting delays.



Estimated Number of Persons Living with HIV/AIDS, by Race/Ethnicity, 2001–2004—33 States



Note. Data include persons with a diagnosis of HIV infection regardless of their AIDS status at diagnosis. Data from 33 states with confidential name-based HIV infection reporting since at least 2000. Data have been adjusted for reporting delays.



Estimated Number of HIV/AIDS Cases and Rates for Male Adults and Adolescents, by Race/Ethnicity 2004—33 States

Race/Ethnicity	Cases*	Rate (cases per 100,000 population)
White, not Hispanic	10,010	18.7
Black, not Hispanic	12,048	131.6
Hispanic	5,517	60.2
Asian/Pacific Islander	299	13.9
American Indian/ Alaska Native	148	20.8
Total**	28,117	37.6

Note. Data include persons with a diagnosis of HIV infection regardless of AIDS status at diagnosis.
Data from 33 states with confidential name-based HIV infection reporting since at least 2000.
Data have been adjusted for reporting delays.

* Data exclude persons from U.S. dependencies, possessions and associated nations because of lack of census information by race and age categories for these areas.

** Includes 95 male adults and adolescents of unknown race or multiple races.



Estimated Number of HIV/AIDS Cases and Rates for Female Adults and Adolescents, by Race/Ethnicity 2004—33 States

<u>Race/Ethnicity</u>	<u>Cases*</u>	<u>Rate (cases per 100,000 population)</u>
White, not Hispanic	1,782	3.2
Black, not Hispanic	7,009	67.0
Hispanic	1,400	16.3
Asian/Pacific Islander	94	4.1
American Indian/ Alaska Native	57	7.7
Total**	10,391	13.2


Note. Data include persons with a diagnosis of HIV infection regardless of AIDS status at diagnosis.
Data from 33 states with confidential name-based HIV infection reporting since at least 2000.
Data have been adjusted for reporting delays.

* Data exclude persons from U.S. dependencies, possessions and associated nations because of the lack of census information by race and age categories for these areas.

** Includes 49 female adults and adolescents of unknown race or multiple races.




Diagnosis Rates of HIV/AIDS for Black Adults and Adolescents, 2000–2004—33 States



Note. Data include persons with a diagnosis of HIV infection regardless of AIDS status at diagnosis. Data from 33 states with confidential name-based HIV infection reporting since at least 2000. Data excludes cases from the US dependencies, possessions and associated nations because of the lack of census information by race and age categories for these areas. Data have been adjusted for reporting delays.




Diagnosis Rates of HIV/AIDS for Hispanic Adults and Adolescents, 2000–2004—33 States



Note. Data include persons with a diagnosis of HIV infection regardless of AIDS status at diagnosis. Data from 33 states with confidential name-based HIV infection reporting since at least 2000. Data excludes cases from the US dependencies, possessions and associated nations because of the lack of census information by race and age categories for these areas. Data have been adjusted for reporting delays.

Diagnosis Rates of HIV/AIDS for White Adults and Adolescents, 2000–2004—33 States



Note. Data include persons with a diagnosis of HIV infection regardless of AIDS status at diagnosis. Data from 33 states with confidential name-based HIV infection reporting since at least 2000. Data excludes cases from the US dependencies, possessions and associated nations because of the lack of census information by race and age categories for these areas. Data have been adjusted for reporting delays.